New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Morristown Residents

			lolescent *		Pediat			_	Tota	
1.	Current HIV/AIDS Category	Cases			Cases	%			ases	%
	AIDS-Any OI	33 #	22 #		O #	0			33 42	22 28
	AIDS-CD4 Only HIV Only	#	#		#				75	50
	Total	149			#	#		-	150	100
2.	Current Age * Cases %	3. Race	e/Eth.		Adult/ Cases	/Adl*			Tota Cases	
	<pre></pre> <pre><5 0 0</pre>							 #		
	5-12 # #	WILL	e, Not Hisp k, Not Hisp	panic panic	# 64	# 43	# 0	# 0		
	13-19 # #	Hisp	anic	Janie	34	23	0	0	34	23
	20-29 # #		er/Unknown			#			#	
	30-39 38 25									
	40-49 59 39	Tota	1		149	100	#	#	150	100
	50+ 48 32									
	Unk. 0 0									
	Total 150 100									
4.	Patient Group		Ac	dult/A	dolescer	nt Tran	smiss:	ion M	lodes **	
4.	-		Males	8		Female	s %		Tota	al
4.	Patient Group Men sex with men (MSM)		Males	8		Female	s %		Tota	al 40 2
4.	Men sex with men (MSM) Injection drug user (IDU)		Males 40 36	38		Female 0 19	s % 0 46		Tota 4 5	11 10 2 55 3
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU		Males 40 36 #	38 34 #		Female 0 19	s % 0 46 0		Tota 4 5	al 10 2 55 3
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact		Males 40 36 # #	38 34 #		Female 0 0 19 0	s % 0 46 0		Tota 4 5	al 10 2 55 3 #
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU		Males 40 36 # #	38 34 # # 19		Female 0 19	s % 0 46 0 # 32		Tota 4 5	11 10 2 55 3 # # 83 2
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males 40 36 # # 20	% 38 34 # # 19		Female 0 19 0 # 13	s % 0 46 0 # 32		Tota 4 5	11 10 2 55 3 # # 83 2
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males 40 36 # 20	38 34 # 19 100		Female 0 19 0 # 13	s % 0 46 0 # 32 		Tota 4 5 3 	al 10 2 55 3 # # 33 2
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other*** Total		Males 40 36 # 20 106	% 38 34 # # 19 100 Pe-%	diatric	Female 0 19 0 # 13 41 Transm Female	s % 0 46 0 # 32 100 issions %	n Mod	Tota 4 5 5 14 4 14 14 14 14 14 14 14 14 14 14 14 1	al 10 2 55 3 # # 33 2 17 10
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		Males 40 36 # 20 106	% % Pee %	diatric	Female 0 19 0 # 13 41	s % 0 466 0 # 322 100 issions %	n Mod	Tota 4 5 5 14 des Tota	al 10 2 55 3 # # 33 2 17 10
4.	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other*** Total		Males 40 36 # 20 106 Males #	% 38 34 # # 19 100 Pee % # 0	diatric	Female	s % 0 466 0 # 32 100 issions % # 0	n Mod	Tota 4 5 5 14 des Tota	al

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2004.
- ** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Morristown Residents

		Adult/Ad	lolescent*	Pedi	atric*	То	tal
1.	. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
	PCP Other OI w/o PCP KS Alone No Disease Liste	# (#)	# (#)	O (O) # (#) # (#) O (O)	0 (.) # (#) # (#) 0 (.)	52 (29) 55 (30) 7 (4) 68 (37)	40 (80) 36 (68) 5 (71) 26 (40)
	Total	180 (100)	106 (61)	# (#)	# (#)	182 (100)	107 (61)
2.	. Age * Case	s % 3. Rac	ce/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	
	Under 5		te, Not Hispanic	72 40	0 0	72 40	

2. Age *	Cases	용	3.	Race/Eth.	Cases	용	Cases	용	Cases	용
Under 5	#	#		White, Not Hispanic	72	40	0	0	72	40
5-12	#	#		Black, Not Hispanic	#	#	#	#	77	42
13-19	0	0		Hispanic	#	#	#	#	31	17
20-29	21	12		Other/Unknown	#	#	0	0	#	#
30-39	80	44								
40-49	63	35		Total	180	100	#	#	182	100
Over 49	16	9								
Unknown	0	0								
Total	182	100								

4. Patient Group

. Patient Group	Adult/Adolescent Transmission Modes **										
	Males	용	Females	용	Total	용					
Men sex with men (MSM)	61	45	0	0	61	34					
Injection drug user (IDU)	50	37	22	50	72	40					
MSM/IDU	5	4	0	0	5	3					
Heterosexual contact	5	4	10	23	15	8					
Risk not reported/other***	15	11	12	27	27	15					
Total	136	100	44	100	180	100					

	Pediatric Transmission Modes						
	Males	용	Females %	Total	용		
Parent at risk/has AIDS/HIV	#	#	# #	#	#		
Risk not reported/other***	0	0	0 0	0	0		
Total	#	#	# #	#	#		

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with $\widetilde{\text{AIDS}}$ as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent

reports in tables 1,2, and 3; and as pediatric reports in table 4. *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Morristown Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	9	9	100%
1988	7	7	100%
1989	8	7	88%
1990	11	8	73%
1991	15	13	87%
1992	13	10	77%
1993	28	22	79%
1994	22	10	45%
1995	8	#	#
1996	17	6	35%
1997	8	#	#
1998	#	#	#
1999	6	#	#
2000	#	#	#
2001	8	0	0%
2002	#	#	#
2003	#	#	#
2004	#	#	#
Total	182	107	59%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Morristown Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/A Cases		Pediatr Cases	ic* % 	Total Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	#	#
5-12	#	#	Black, Not Hispanic	33	43	0	0	33	43
13-19	0	0	Hispanic	16	21	0	0	16	21
20-29	9	12	Other/Unknown	#	#	#	#	#	#
30-39	39	50							
40-49	21	27	Total	76	100	#	#	78	100
Over 49	7	9							
Unknown	0	0							
Total	78	100							

Patient Group	Adult/Adolescent Transmission Modes **								
	Males	%	Females	%	Total	용			
Men sex with men (MSM)	19	33	0	0	19	25			
Injection drug user (IDU)	20	35	11	58	31	41			
MSM/IDU	0	0	0	0	0	0			
Heterosexual contact	#	#	#	#	10	13			
Risk not reported/other***	#	#	#	#	16	21			
Total	57	100	19 1	00	76	100			
		Pediat	cric Transmiss	ion Mode	s				
	Males	%	Females	9	Total	용			
Parent at risk/has AIDS/HIV	#	#	#	 #	#	#			
Risk not reported/other***	0	0	0	0	0	0			
Total		#	#	#		#			

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Morristown Residents

1.	Current HI	V/AIDS Ca			Adult/Adol Cases			Ped Case	s	ic * %		Cases		2 6	
	AIDS-Any C AIDS-CD4 C HIV Only	oI Only			# 68 #	# 27			# O #	# O #		114		44	
	Total				256	100			#	100		260		100	
2.	Age *			3.			C	dult/A ases	용	Ca	ediatr ses	-		Cases	
	Under 5 5-12 13-19 20-29 30-39 40-49	#	# # 0 13 49		White, Not Black, Not Hispanic Other/Unkr	Hispanic Hispanic		# # # # 	# # # 		# # 0 #	# 0 		47 #	42 18 #
	Over 49 Unknown Total	22 0 260	0												
4.	Patient Gr	oup				Adı Males	용		F	Trans	용		** Total		
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac eported/c	ISM) : (IDU) :t other***			80 70 5 11 27	41 36 3 6 14			0 33 0 14 16	0 52 0 22 25		80 103 5 25 43	31 40 2 10 17	
	Total					193				63		•	256		
						Males	%		F	emales	%		Total		
	Parent at Risk not r		AIDS/HI			# O	#		_	# 0	#		# 0		

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

#

 $\star\star\star$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Morristown Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosi		Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	8	8	100%
1986	5	#	#
1987	10	9	90%
1988	9	9	100%
1989	17	13	76%
1990	16	10	63%
1991	21	15	71%
1992	15	#	#
1993	30	18	60%
1994	19	7	37%
1995	12	#	#
1996	16	#	#
1997	15	#	#
1998	8	0	0%
1999	11	#	#
2000	12	#	#
2001	13	#	#
2002	9	0	0%
2003	9	0	0%
2004	#	#	#
Total	260	110	42%